Author Index Vol. 672

Aboagye, E.O., Graham, M.A., Lewis, A.D., Workman, P., Kelson, A.B. and Tracy, M.
Development and validation of a solid-phase extraction and high-performance liquid chromatographic assay for a novel fluorinated 2-nitroimidazole hypoxia probe (SR-4554) in Balb/c mouse plasma 672(1995)125
Al-Dhuwailie, A.A., see Najjar, T.A. 672(1995)295
Andersson, B., see Kussak, A. 672(1995)253
Andersson, K., see Kussak, A. 672(1995)253
Arai, K., see Yoshida, K.-i. 672(1995)45
Baker, P.V., see Hooper, W.D. 672(1995)89
Ballesteros, E., see Cárdenas, M.S. 672(1995)7
Bibby, M.C., see Moore, A.J. 672(1995)225
Blankson, E.A., see Sanwald, P. 672(1995)207
Böcker, R., see Lang, D. 672(1995)305
Bohnenstengel, F., Johnson, S., Hofmann, U., Eichelbaum, M. and Kroemer, H.K.
Direct gas chromatographic determination of dechloroethylcyclophosphamide following microsomal incubation of cyclophosphamide 672(1995)271
Bökkerink, J.P.M., see Keuzenkamp-Jansen, C.W. 672(1995)53
Bottaro, S., see Dall'Amico, R. 672(1995)155
Boudinot, F.D., see Rajagopalan, P. 672(1995)119
Boulton, D.W. and Fawcett, J.P.
Determination of salbutamol enantiomers in human plasma and urine by chiral high-performance liquid chromatography 672(1995)103
Bünger, H. and Pison, U.
Quantitative analysis of pulmonary surfactant phospholipids by high-performance liquid chromatography and light-scattering detection 672(1995)25
Campíns Falcó, P., see Molíns Legua, C. 672(1995)81
Cárdenas, M.S., Ballesteros, E., Gallego, M. and Valcárcel, M.
Automatic gas chromatographic determination of the high-density-lipoprotein cholesterol and total cholesterol in serum 672(1995)7
Carignan, G., Carrier, K., Laganière, S. and Lessard, M.
Simultaneous determination of diltiazem and quinidine in human plasma by liquid chromatography 672(1995)261
Carrier, K., see Carignan, G. 672(1995)261
Chen, I.-W., Vastag, K.J. and Lin, J.H.
High-performance liquid chromatographic determination of a potent and selective HIV protease inhibitor (L-735,524) in rat, dog and monkey plasma 672(1995)111
Chu, C.K., see Rajagopalan, P. 672(1995)119
Cole, D.E.C., Evrovski, J. and Pirone, R.
Urinary thiosulfate determined by suppressed ion chromatography with conductimetric detection 672(1995)149
Cracco, A.T., see Dall'Amico, R. 672(1995)155
Dall'Amico, R., Montini, G., Pisanello, L., Piovesan, G., Bottaro, S., Cracco, A.T., Zacchello, G. and Zacchello, F.
Determination of inulin in plasma and urine by reversed-phase high-performance liquid chromatography 672(1995)155
De Abreu, R.A., see Keuzenkamp-Jansen, C.W. 672(1995)53
Demin, P., Reynaud, D. and Pace-Asciak, C.R.
High-performance liquid chromatographic separation of fluorescent esters of hepoxilin enantiomers on a chiral stationary phase 672(1995)282
Devine, D.A., see Moore, A.J. 672(1995)225
Dow, J., see Sanwald, P. 672(1995)207
Duléry, B.D., see Sanwald, P. 672(1995)207
Ebinger, G., see Van Belle, K. 672(1995)97
Edholm, L.-E., see Lövgren, U. 672(1995)33
Eichelbaum, M., see Bohnenstengel, F. 672(1995)271
Evrovski, J., see Cole, D.E.C. 672(1995)149
Fawcett, J.P., see Boulton, D.W. 672(1995)103
Fujita, K., see Hibiya, M. 672(1995)143
Gallego, M., see Cárdenas, M.S. 672(1995)7
Gao, Z., see Rajagopalan, P. 672(1995)119
Georgi, M., see Haber, H. 672(1995)179
Goldwich, A., see Guse, A.H. 672(1995)189
Goodnough, D.B., Lutz, M.P. and Wood, P.L.
Separation and quantification of D- and L-phosphoserine in rat brain using Nα-(2,4-dinitro-5-fluorophenyl)-L-alaninamide (Marfey's reagent) by high-performance liquid chromatography with ultraviolet detection 672(1995)290
Graham, M.A., see Aboagye, E.O. 672(1995)125
Guerin, M.D., see Jenkins, M.A. 672(1995)241
Guillaume, Y., see Peyrin, E. 672(1995)160
Guinchard, C., see Peyrin, E. 672(1995)160
Guse, A.H., Goldwich, A., Weber, K. and Mayr, G.W.
Non-radioactive, isomer-specific inositol phosphate mass determinations: high-performance liquid chromatography–micro-metal–dye detection strongly improves speed and sensitivity of analyses from cells and micro-enzyme assays 672(1995)189
Haagsma, N., Scherpenisse, P., Simmonds, R.J., Wood, S.A. and Rees, S.A.
High-performance liquid chromatographic determination of spectinomycin in swine, calf and chicken plasma using post-column derivatization 672(1995)165
Haber, H., Henklein, P., Georgi, M. and Melzig, M.F.
Resolution of catecholic tetrahydroisoquinoline enantiomers and the determination of *R*- and *S*-salsolinol in biological samples by gas chromatography–mass spectrometry 672(1995)179
Henklein, P., see Haber, H. 672(1995)179

Hibiya, M., Teradaira, R., Sugimoto, T., Fujita, K. and Nagatsu, T.
Simultaneous determination of N^2-(3-aminopropyl)biopterin (oncopterin), biopterin and neopterin by high-performance liquid chromatography with fluorescence detection 672(1995)143
Hofmann, U., see Bohnenstengel, F. 672(1995)271
Honda, M., see Yoshida, K.-i. 672(1995)45
Hooper, W.D. and Baker, P.V.
Enantioselective analysis of sotalol in plasma by reversed-phase high-performance liquid chromatography using diastereomeric derivatives 672(1995)89
Hosoya, Y., see Yoshida, K.-i. 672(1995)45
Huebert, N.D., see Sanwald, P. 672(1995)207
Husseini, H., Mitrovic, V. and Schlepper, M.
Determination of monoamine oxidase B activity by high-performance liquid chromatography with electrochemical detection 672(1995)138
Huxtable, R.J., see Yan, C.C. 672(1995)217
Iseki, K., see Kishino, S. 672(1995)199
Ishida, H., see Shimizu, M. 672(1995)63
Iwasaki, Y., see Shimizu, M. 672(1995)63
Jehl, F., see Levêque, D. 672(1995)314
Jenkins, M.A., Kulinskaya, E., Martin, H.D. and Guerin, M.D.
Evaluation of serum protein separation by capillary electrophoresis: prospective analysis of 1000 specimens 672(1995)241
Johansson, M., see Lövgren, U. 672(1995)33
Johnson, S., see Bohnenstengel, F. 672(1995)271
Jones, A.W., Lagesson, V. and Tagesson, C.
Determination of isoprene in human breath by thermal desorption gas chromatography with ultraviolet detection 672(1995)1
Josefsson, M., Zackrisson, A.-L. and Norlander, B.
Sensitive high-performance liquid chromatographic analysis of amlodipine in human plasma with amperometric detection and a single-step solid-phase sample preparation 672(1995)310
Kakinoki, S., see Kishino, S. 672(1995)199
Kanai, M., see Kobayashi, N. 672(1995)17
Kanfer, I., see Walker, R.B. 672(1995)172
Kelson, A.B., see Aboagye, E.O. 672(1995)125
Keuzenkamp-Jansen, C.W., De Abreu, R.A., Bökkerink, J.P.M. and Trijbels, J.M.F.
Determination of extracellular and intracellular thiopurines and methylthiopurines by high-performance liquid chromatography 672(1995)53
Kidouchi, K., see Sumi, S. 672(1995)233
Kishino, S., Nomura, A., Sugawara, M., Iseki, K., Kakinoki, S., Kitabatake, A. and Miyazaki, K.
Purification method for α-1-acid glycoprotein with subsequent high-performance liquid chromatographic determination of monosaccharides in plasma of healthy subjects and patients with renal insufficiency 672(1995)199
Kitabatake, A., see Kishino, S. 672(1995)199
Kleinman, W.A. and Richie Jr, J.P.
Determination of thiols and disulfides using high-performance liquid chromatography with electrochemical detection 672(1995)73
Kobayashi, N., Kanai, M., Seta, K. and Nakamura, K.-i.
Quantitative analysis of synthetic human calcitonin by liquid chromatography–mass spectrometry 672(1995)17
Kovaleva, M.G., see Mayakova, T.I. 672(1995)133
Kroemer, H.K., see Bohnenstengel, F. 672(1995)271
Kronkvist, K., see Lövgren, U. 672(1995)33
Kulinskaya, E., see Jenkins, M.A. 672(1995)241
Kussak, A., Andersson, B. and Andersson, K.
Immunoaffinity column clean-up for the high-performance liquid chromatographic determination of aflatoxins B_1, B_2, G_1, G_2, M_1 and Q_1 in urine 672(1995)253
Kuznetsova, E.E., see Mayakova, T.I. 672(1995)133
Laganière, S., see Carignan, G. 672(1995)261
Lagesson, V., see Jones, A.W. 672(1995)1
Lang, D. and Böcker, R.
Highly sensitive and specific high-performance liquid chromatographic analysis of 7-hydroxywarfarin, a marker for human cytochrome P-4502C9 activity 672(1995)305
Lessard, M., see Carignan, G. 672(1995)261
Levêque, D. and Jehl, F.
Determination of vinorelbine in biological fluids by high-performance liquid chromatography 672(1995)314
Lewis, A.D., see Aboagye, E.O. 672(1995)125
Lin, J.H., see Chen, I.-W. 672(1995)111
Loadman, P.M., see Moore, A.J. 672(1995)225
Lövgren, U., Johansson, M., Kronkvist, K. and Edholm, L.-E.
Biocompatible sample pretreatment for immunochemical techniques using micellar liquid chromatography for separation of corticosteroids 672(1995)33
Lutz, M.P., see Goodnough, D.B. 672(1995)290
Martin, H.D., see Jenkins, M.A. 672(1995)241
Mayakova, T.I., Kuznetsova, E.E., Kovaleva, M.G. and Plyusnin, S.A.
Gas chromatographic–mass spectrometric study of lipids and rapid diagnosis of *Mycobacterium tuberculosis* 672(1995)133
Mayr, G.W., see Guse, A.H. 672(1995)189
McClure, H.M., see Rajagopalan, P. 672(1995)119
Melzig, M.F., see Haber, H. 672(1995)179
Michotte, Y., see Van Belle, K. 672(1995)97
Mitrovic, V., see Husseini, H. 672(1995)138
Miyazaki, K., see Kishino, S. 672(1995)199
Molíns Legua, C., Campíns Falcó, P. and Sevillano Cabeza, A.
Amphetamine and methamphetamine determination in urine by reversed-phase high-performance liquid chromatography with sodium 1,2-naphthoquinone 4-sulfonate as derivatizing agent and solid-phase extraction for sample clean-up 672(1995)81

Montini, G., see Dall'Amico, R. 672(1995)155
Moore, A.J., Loadman, P.M., Devine, D.A. and Bibby, M.C.
Extraction of the synthetic lytic peptide, cecropin B, from biological fluid and analysis using reversed-phase high-performance liquid chromatography 672(1995)225
Nagatsu, T., see Hibiya, M. 672(1995)143
Najjar, T.A., Al-Dhuwailie, A.A. and Tekle, A.
Comparison of high-performance liquid chromatography with fluorescence polarization immunoassay for the analysis of vancomycin in patients with chronic renal failure 672(1995)295
Nakamura, K.-i., see Kobayashi, N. 672(1995)17
Nomura, A., see Kishino, S. 672(1995)199
Norlander, B., see Josefsson, M. 672(1995)310
Ohba, S., see Sumi, S. 672(1995)233
Pace-Asciak, C.R., see Demin, P. 672(1995)282
Peyrin, E., Guillaume, Y. and Guinchard, C.
High-performance liquid chromatographic determination of tazobactam by precolumn derivatization 672(1995)160
Piovesan, G., see Dall'Amico, R. 672(1995)155
Pirone, R., see Cole, D.E.C. 672(1995)149
Pisanello, L., see Dall'Amico, R. 672(1995)155
Pison, U., see Bünger, H. 672(1995)25
Plyusnin, S.A., see Mayakova, T.I. 672(1995)133
Preiß, R., see Teichert, J. 672(1995)277
Rajagopalan, P., Gao, Z., Chu, C.K., Schinazi, R.F., McClure, H.M. and Boudinot, F.D.
High-performance liquid chromatographic determination of (−)-β-D-2,6-diaminopurine dioxolane and its metabolite, dioxolane guanosine, using ultraviolet and on-line radiochemical detection 672(1995)119
Rees, S.A., see Haagsma, N. 672(1995)165
Reynaud, D., see Demin, P. 672(1995)282
Richie Jr, J.P., see Kleinman, W.A. 672(1995)73
Sanwald, P., Blankson, E.A., Duléry, B.D., Schoun, J., Huebert, N.D. and Dow, J.
Isocratic high-performance liquid chromatographic method for the separation of testosterone metabolites 672(1995)207
Scherpenisse, P., see Haagsma, N. 672(1995)165
Schinazi, R.F., see Rajagopalan, P. 672(1995)119
Schlepper, M., see Husseini, H. 672(1995)138
Schoun, J., see Sanwald, P. 672(1995)207
Seta, K., see Kobayashi, N. 672(1995)17
Sevillano Cabeza, A., see Molíns Legua, C. 672(1995)81
Shimizu, M., Iwasaki, Y., Ishida, H. and Yamada, S.
Determination of 25-hydroxyvitamin D_3 in human plasma using a non-radioactive tetranorvitamin D analogue as an internal standard 672(1995)63
Simmonds, R.J., see Haagsma, N. 672(1995)165
Stewart, J.T., see Venkateshwaran, T.G. 672(1995)300
Sugawara, M., see Kishino, S. 672(1995)199
Sugimoto, T., see Hibiya, M. 672(1995)143
Sumi, S., see Yoshida, K.-i. 672(1995)45
Sumi, S., Kidouchi, K., Ohba, S. and Wada, Y.
Automated screening system for purine and pyrimidine metabolism disorders using high-performance liquid chromatography 672(1995)233
Tagesson, C., see Jones, A.W. 672(1995)1
Teichert, J. and Preiß, R.
Determination of lipoic acid in human plasma by high-performance liquid chromatography with electrochemical detection 672(1995)277
Tekle, A., see Najjar, T.A. 672(1995)295
Teradaira, R., see Hibiya, M. 672(1995)143
Tracy, M., see Aboagye, E.O. 672(1995)125
Trijbels, J.M.F., see Keuzenkamp-Jansen, C.W. 672(1995)53
Ueda, Y., see Yoshida, K.-i. 672(1995)45
Valcárcel, M., see Cárdenas, M.S. 672(1995)7
Van Belle, K., Verfaillie, I., Ebinger, G. and Michotte, Y.
Liquid chromatographic assay using a microcolumn coupled to a U-shaped optical cell for high-sensitivity ultraviolet absorbance detection of oxcarbazepine and its major metabolite in microdialysates 672(1995)97
Vastag, K.J., see Chen, I.-W. 672(1995)111
Venkateshwaran, T.G. and Stewart, J.T.
Determination of metronidazole in vaginal tissue by high-performance liquid chromatography using solid-phase extraction 672(1995)300
Verfaillie, I., see Van Belle, K. 672(1995)97
Wada, Y., see Sumi, S. 672(1995)233
Walker, R.B. and Kanfer, I.
Sensitive high-performance liquid chromatographic determination of cyclizine and its demethylated metabolite, norcyclizine, in biological fluids using coulometric detection 672(1995)172
Weber, K., see Guse, A.H. 672(1995)189
Wood, P.L., see Goodnough, D.B. 672(1995)290
Wood, S.A., see Haagsma, N. 672(1995)165
Workman, P., see Aboagye, E.O. 672(1995)125
Yamada, S., see Shimizu, M. 672(1995)63
Yan, C.C. and Huxtable, R.J.
Fluorimetric determination of monobromobimane and o-phthalaldehyde adducts of γ-glutamylcysteine and glutathione: application to assay of γ-glutamylcysteinyl synthetase activity and glutathione concentration in liver 672(1995)217
Yano, M., see Yoshida, K.-i. 672(1995)45
Yoshida, K.-i., Sumi, S., Honda, M., Hosoya, Y., Yano, M., Arai, K. and Ueda, Y.
Serial lectin affinity chromatography demonstrates altered asparagine-linked sugar chain structures of γ-glutamyltransferase in human renal cell carcinoma 672(1995)45
Zacchello, F., see Dall'Amico, R. 672(1995)155
Zacchello, G., see Dall'Amico, R. 672(1995)155
Zackrisson, A.-L., see Josefsson, M. 672(1995)310